

77. Ter Braak, C. J. F., & Smilauer, P. (2002). CANOCO Reference Manual and user's guide to Canoco for windows: Software for Canonical Community Ordination (version 4.45). Ithaca, New York, USA: Microcomputer Power.
78. Thrush, S. F., Hewitt, J. E., & Pridmore, R. D. (1989). Patterns in the spatial arrangements of polychaetes and bivalves in intertidal sandflats. *Marine Biology*, 102, 529-535.
79. Thrush, S., Hewitt, J. E., Norkko, A., Nicholls, P. E., Funnell, G. A., & Ellis, J. I. (2003). Habitat change in estuaries: predicting broad-scale responses of intertidal macrofauna to sediment mud content. *Marine Ecology Progress Series* 263, 101-112.
80. Tournois, J., Darnaude, A. M., Ferraton, F., Aliaume, C., Mercier, L., & McKenzie, D. J. (2017). Lagoon nurseries make a major contribution to adult populations of a highly prized coastal fish. *Limnology and Oceanography*, 62(3), 1219-1233.
81. Tovar-Hernández, M. A., Hernández-Alcántara, P., & Solís-Weiss, V. (2008). Description of *Syllis lagunae* sp. nov. (Polychaeta: Syllidae) from the Southern Gulf of Mexico and designation of a neotype for *Syllis mexicana* (Rioja, 1960). *Cahiers de Biologie Marine*, 49(4), 337-350.
82. Underwood, A. J., & Chapman, M. G. (1996). Scales of spatial patterns of distribution of intertidal invertebrates. *Oecologia*, 107, 212-224.
83. Valdes, D. S., & Real, E. (2004). Nitrogen and phosphorus in water and sediments at ria lagartos coastal lagoon, Yucatán, Gulf of Mexico. *Indian Journal of Marine Sciences*, 33(4), 338-345.
84. Vega-Cendejas, M. E., & Hernández de Santillana, M. (2004). Fish community structure and dynamics in a coastal hypersaline lagoon: Rio Lagartos, Yucatán, Mexico. *Estuarine, Coastal and Shelf Science*, 60(2), 285-299.
85. Vera, I., Mariño-Tapia, I., & Enríquez, C. (2012). Effects of drought and subtidal sea level variability on salt intrusion in a coastal karst aquifer. *Marine and Freshwater Research*, 63(6), 485-493.
86. Verdiell-Cubedo, D., Oliva-Paterna, F. J., Ruiz-Navarro, A., & Torralva, M. (2013). Assessing the nursery role for marine fish species in a hypersaline coastal lagoon (Mar Menor, Mediterranean Sea). *Marine Biology Research*, 9(8), 739-748.
87. Ysebaert, T., & Herman, P. M. J. (2002). Spatial and temporal variation in benthic macrofauna and relationships with environmental variables in an estuarine, inter-tidal soft-sediment environment. *Marine Ecology Progress Series*, 244, 105-124.
88. Ysebaert, T., Herman, P. M. J., Meire, P., Craeymeersch, J., Verbeek, H., & Heip, C. H. R. (2003). Large-scale spatial patterns in estuaries: estuarine macrobenthic communities in the Schelde estuary, NW Europe. *Estuarine, Coastal and Shelf Science*, 57, 335-355.

## APPENDIX 1

Sampling locations and environmental parameters measured in the Río Lagartos coastal lagoon.  
The three basins and sampling gear used are indicated

Variable	Río Lagartos					Las Coloradas					El Cuyo				
	3	6	9	12	15	20	21	22	23	25	27	29	30	32	35
Latitude	21.574	21.581	21.603	21.608	21.596	21.575	21.592	21.581	21.565	21.563	21.560	21.535	21.518	21.520	21.511
Longitude	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	88.231	88.199	88.156	88.135	88.071	88.003	87.985	87.955	87.958	87.916	87.838	87.791	87.773	87.739	87.680
T °C	28.83	29.72	32.54	31.71	30.69	31.38	30.71	31.47	29.82	28.71	29.48	29.07	28.71	31.12	28.62
Salinity	36.67	38.21	40.01	41.56	42.49	44.1	45.8	52.98	46.62	58.14	74	75	67	77	79
pH	7.595	8.24	8.21	8.26	8.25	8.21	8.4	8.44	8.45	8.33	8.53	8.62	8.5	8.47	8.46
DO (mg/L)	8.05	8.15	11.09	9.49	6.92	6.67	6.53	8.74	7.06	6.46	7.81	7.76	6.89	8.14	5.35

Seagrass (%)	11.79	100	1.68	13.25	6.53	1.51	3.21	0	1.267	3.714	0.770	0	0	0	0
<b>Grain size</b>															
< 63 µm (%)	1.16	21.36	5.29	25.19	55.24	20.60	37.05	1.01	41.42	2.83	2.46	10.95	0.91	8.21	4.58
0.063-0.125 µm (%)	12.86	5.46	15.93	12.65	6.98	15.58	10.19	1.75	18.24	7.09	2.62	6.61	11.47	7.78	5.92
0.125-0.250 µm (%)	13.61	56.78	20.78	16.98	13.97	19.20	13.50	4.88	24.60	24.31	8.17	22.09	22.82	14.22	19.52
0.250-0.500 µm (%)	7.38	6.35	17.19	14.46	11.40	11.51	5.88	8.88	11.92	34.75	19.77	21.04	25.08	14.31	21.70
0.500-1 mm (%)	19.84	2.64	15.63	13.17	8.22	10.41	0.16	18.52	2.11	19.06	24.33	13.45	17.84	18.96	16.09
1-2 mm (%)	22.34	2.23	14.85	7.92	2.64	13.36	0.00	26.31	0.04	6.94	16.74	13.90	2.94	22.44	18.34
> 2 mm (%)	22.81	5.19	10.32	9.63	1.55	9.35	33.22	38.64	1.66	5.02	25.92	11.96	18.95	14.08	13.86
<b>Sampling gear</b>	PVC core	PVC core	Ponar grab	PVC core	PVC core										

## APPENDIX 2

nMDS ordination plot of polychaete density data with cluster analysis overlay based on a Bray-Curtis resemblance matrix. Numbers indicate sampling stations.

