## APPENDIX 1

Age: 20s () 30s () 40s () 50s () 60 () More than 70s ()

Gender: F() M()

Race: Asian () Black or African American () Hispanic or Latino ()

Native Hawaiian or Other Pacific Islander () White () Other ()

Professional activity: Faculty () Resident () Student () Staff ()

Program you belong: Dental Hygiene Program () DDS Program ()

Int'IDentist Program () Advanced Dental Education Program ()

Primary area of duties: Clinical () Administrative ()

Type of face protection equipment:

N95 Mask () ASTM Mask level (1) (2) (3)

Mask+Frame ()
Mask+Face shield ()
Mask+Frame+Face Shield ()
Mask+frame

Time for wearing: Less than 1 hr () 1hr () 2hr () 3hr () 4hr () More than 4hr ()

Face Shield Use: Printed custom frame ( ) Stock face shield ( )

Re-use (Y / N): Number of times 1() 2() 3() 4() More than 4()

Check below the symptoms you presented related to the use of personal protection equipment (PPE) for the face.

	1=Very poor	2=poor	3=neutral	4=good	5=Very good
Comfortable	()	()	()	()	()
Ability to perform the assigned intervention as usual	()	()	()	()	()
Quality of visual comfort	()	()	()	()	()
Musculo-skeletal tolerance	()	()	()	()	()
Restriction of movement	()	()	()	()	()
Smell sensitivity	()	()	()	()	()
Breathing	()	()	()	()	()
Ear pain	()	()	()	()	()
Headache	()	()	()	()	()
	No Pain	Minimal Pain	Mild Pain	Moderate Pain	Severe Pain
Ear pain	()	()	()	()	()
Headache	()	()	()	()	()