

## OPHIDIIDAE brótulas

Miembros de esta familia presentan 1 ó 2 radios de la aleta pélvica colocados debajo de la cabeza. Aletas dorsal y anal se juntan con la aleta caudal.

*Brotula barbata*, brótula barbona – Barbillas presentes en el morro y mentón. Origen de la aleta dorsal sobre la base de la aleta pectoral, borde negro en la aleta dorsal, coloración rojiza a pardo-oliva, algunas veces con manchas (Nielsen 2002).

*Lepophidium brevibarbe*, congrio clarín – Una espina rostral en el extremo del morro que se proyecta hacia adelante debajo de la piel. Origen de la aleta dorsal sobre el extremo libre de la aleta pectoral. Dorsal, y algunas veces la aleta anal, con los bordes negros; coloración canela a pardo oscuro (Nielsen 2002).

*Ophidon holbrooki*, congrio de bajos – Origen de la aleta dorsal detrás de la base de la aleta pectoral. Radios de la aleta pélvica largos. Aleta dorsal con bordes negros; coloración parda (Nielsen 2002).

*Parophidion schmidti*, congrio pardo – Origen de la aleta dorsal sobre la base de la aleta pectoral. Radios de la aleta pélvica 2, de igual tamaño. Coloración canela (UCR 1353-11).

*Petrotyx sanguineus*, brótula aletiroja – Origen de la aleta dorsal sobre la base de la aleta pectoral. Coloración rojo oscuro (UCR 213-25).

### Apuntes / Notes:

## OPHIDIIDAE cuskeels

Members of this family have 1 or 2 pelvic-fin rays located below the head. Dorsal and anal fins are joined to the caudal fin.

*Brotula barbata*, Atlantic bearded brotula – Barbels present on snout and chin. Dorsal fin origin over pectoral fin. black edge on dorsal fin, color reddish to olive-brown, sometimes spotted.


*Lepophidium brevibarbe*, blackedge cusk-eel – A forward-projecting rostral spine under skin at snout tip. Dorsal-fin origin over tip of pectoral fin. Dorsal, and sometimes anal fin black-edged; color tan to dusky brown.

*Ophidon holbrooki*, bank cusk-eel – Dorsal-fin origin behind pectoral fin. Pelvic-fin rays long. Dorsal fin black-edged; color brown.


*Parophidion schmidti*, dusky cusk-eel – Dorsal-fin origin over pectoral fin. Pelvic-fin rays 2, of equal length. Color tan.

*Petrotyx sanguineus*, redfin brotula – Dorsal-fin origin over pectoral fin. Color dusky red.


# OPHIDIIDAE



*Brotula barbata*




*Lepophidium brevibarbe*



*Ophidion holbrooki*



*Parophidion schmidtii*



*Petrotyx sanguineus*